

WORLD KLASS PLAY

A Wisdom Manufacturing Group Company



1335 Cedar Hill Rd. Unit 8. Navassa, NC 28451
www.worldklassplay.com
910-701-6286

A Wisdom Manufacturing Group Company

**THE SIMPLE JOY OF PLAY
MADE WORLD KLASS**



THE WORLD KLASS PLAY DIFFERENCE

More Than Playgrounds-Building Places Where Communities Thrive

At World Klass Play, we believe playgrounds are more than equipment—they're places where children build confidence, friendships, and lifelong memories. That's why we design and manufacture commercial playgrounds that combine exceptional value, thoughtful engineering, and lasting durability.

Whether you're planning a neighborhood park, school playground, daycare, church, HOA, or municipal recreation space, our team is committed to helping you find the right solution for your project. From ready-to-ship playgrounds to fully customized designs, every product is built to inspire active play while providing years of dependable performance.

With decades of manufacturing expertise, industry-leading warranties, and a passion for creating inclusive, engaging play environments, World Klass Play is proud to help communities create spaces where everyone can play, explore, and grow.

PART OF SOMETHING BIGGER

World Klass Play is proud to be part of the Wisdom Manufacturing Group, a U.S.-headquartered family of brands. Together, we bring decades of experience in commercial recreation to deliver innovative playground solutions built for durability, value, and lasting performance. Every product reflects our shared commitment to quality, dependable service, and creating places where communities thrive.





LEADER IN HEALTH & SAFETY

Designed for Safe Play. Built to Last.

Safety is at the core of every World Klass Play product. From engineering and material selection to manufacturing and quality control, every playground is designed to meet or exceed recognized industry safety standards while encouraging healthy, active play.

Our durable construction, premium materials, and thoughtful designs help create environments that reduce maintenance, withstand years of heavy use, and provide peace of mind for owners, installers, and families alike.

Every component is engineered to support children's physical, social, and cognitive development while promoting safe exploration, imaginative play, and confidence through movement.

When you choose World Klass Play, you're investing in playground equipment designed to deliver lasting value, dependable performance, and safe play for generations to come.



STRUCTURAL SAFETY




PHYSICAL SAFETY



CHEMICAL SAFETY

In line with international safety standards



SUSTAINABLE & ENVIRONMENTAL PROTECTOR

World Klass Play has successively obtained multiple certificates that comply with international standards, such as ISO9001, ISO14001, ISO45001, FSC and China Green Product certification, marking World Klass Play strategic ability and determination to adhere to sustainable development!

Implement the concept of eco and quality, integrate global advanced education concepts into the DNA of World Klass Play products with the eyes of the world, and aspire to provide green, eco, and high-quality products for children around the world. Help children explore the world with peace of mind and experience a beautiful and happy childhood!



THE MAKING OF A WORLD KLAASS PLAY SYSTEM

Quality you can see, value you can measure



ROTOMOLDED PROCESS

Precision-Molded for Strength and Durability
Manufactured from commercial-grade linear low-density polyethylene (LLDPE) for exceptional impact resistance and long-term durability. UV-stabilized material resists fading, cracking, and weathering in demanding outdoor environments. Highly customizable—from custom colors and themed components to unique play elements, you dream it, we build it. One-piece rotomolded construction creates seamless components with consistent wall thickness for years of dependable performance.



PRECISION WELDING

Built with Precision
Experienced craftsmen produce uniform, high-quality welds with careful finishing and attention to detail. Clean welds minimize burrs, incomplete penetration, and surface imperfections for improved strength and appearance. Strong, precision-engineered weld joints enhance structural stability while supporting long-term safety and performance.



CLAMP ASSEMBLY

Secure. Durable. Built to Last.
Single-loop clamp design provides a secure 360° connection around the post, delivering exceptional stability while simplifying installation and maintenance. Engineered for long-term performance, the clamp system is designed to resist corrosion, cracking, and everyday wear in demanding outdoor environments. Smooth, rounded edges eliminate sharp corners, providing a clean appearance and enhanced safety. Precision manufacturing ensures a secure fit that maintains the structural integrity of the playground for years to come.



DECK/STAIRS

Built for Strength. Designed for Safety.
Constructed from high-strength steel to provide exceptional durability and structural support. Precision-perforated surface delivers reliable slip resistance while allowing water and debris to drain away. Engineered to withstand heavy use in commercial playground environments with minimal maintenance. Finished with a durable protective coating to resist corrosion, weathering, and everyday wear for years of dependable performance.



GALVANIZED STEEL POSTS

The Foundation of Every Structure
Constructed from 3.5-inch galvanized steel tubing for exceptional strength, stability, and long-term performance. Hot-dip galvanized steel provides superior corrosion resistance, helping protect against rust and harsh outdoor environments. Available in both in-ground and surface-mount configurations to meet a variety of installation requirements. Engineered to provide a durable foundation that stands up to years of commercial use.



DURABLE POWDER-COATED FINISH

Engineered for Long-Term Protection
Steel tubes are protected with hot-dip galvanizing and a durable outdoor powder-coated finish for exceptional corrosion resistance. A comprehensive 13-step surface preparation process promotes superior coating adhesion and long-lasting performance. The combination of galvanizing and powder coating helps protect against rust, weathering, and everyday wear while maintaining a smooth, attractive finish.



07



Klasic Play KwikShip

33



KlasicFREE KwikShip

51



KlasicPLAY Kustom

77



KlasicFREE

85

Components
Color Swatches



3.5

3.5" Post



ADA



26-30

Capacity



Activities

SM

Surface Mount

IG

In-Ground



10-12 WEEKS



KwikShip





Klassic Play Kwikship

Proven Designs. Faster Delivery.

When project timelines are tight, KlassicPLAY KwikShip helps you stay on schedule without sacrificing quality. Featuring a carefully selected collection of our most popular playground systems, KwikShip offers accelerated lead times so you can move from planning to installation faster.

Every KwikShip playground is manufactured using the same durable materials, precision engineering, and high safety standards found throughout the World Klass Play product line. With multiple size options, exciting play activities, and vibrant color combinations, these ready-to-order systems provide dependable performance with significantly reduced wait times.


Because getting children playing sooner should never mean compromising quality.

Klassic Play KwikShip



TWIN FALLS
WKP35-0107
Ages: 5-12
Fall Height: 60"
Use Zone: 34'x26'
Equipment Size: 19'3"x11'11"x10'

NATURE PRIMARY
● ● ● ● ● ●



- ① Single Drum
- ② Arc Climber
- ③ 5ft Sectional Slide 45° Left Turn
- ④ 5ft Sectional Slide 45° Right Turn
- ⑤ 3ft Arch Climber
- ⑥ Clover Rain Wheel
- ⑦ 3ft Slide Right Turn
- ⑧ ADA Transfer Station



00



11



12



13

Klassic Play KwikShip



SPEEDWAY FALLS WKP35-0104


Ages: 5-12

Fall Height: 60"

Use Zone: 33'x29'

Equipment Size: 21'4"x17'6"x13'7"

NATURE PRIMARY



- ① 5ft Single Slide
- ③ 4ft/5ft Arc Climber
- ⑤ 3ft Clover Steps
- ⑦ Arch Climber
- ⑨ Beads Panel
- ⑪ Bones Bridge
- ② Clover Rain Wheel
- ④ ADA Transfer Station
- ⑥ 3ft Single Slide Right Turn
- ⑧ Gears Panel (Above)
- ⑩ Single Drum



00



11



12



13

Klassic Play KwikShip



FAST TRACKER WKP35-0102


Ages: 5-12

Fall Height: 72"

Use Zone: 38'x35'

Equipment Size: 25'10"x22'4"x15'9"

NATURE PRIMARY



- ① Snake Climber
- ③ Single Drum
- ⑤ 4ft Single Slide
- ⑦ Orbit Panel
- ⑨ Straight Rung Climber
- ⑪ ADA Transfer Station
- ② Tic-tac-toe Panel
- ④ Arch Climber
- ⑥ Vortex Whirling Panel
- ⑧ 5ft Single Slide
- ⑩ Bones Bridge



00



11



12




13



CLATTER CLIMB
WKP35-0140

Ages: 5-12
Fall Height: 84"
Use Zone: 42'x33'
Equipment Size: 28'5"x19'6"x12'7"

NATURE PRIMARY
● ● ● ● ● ●



- ① Challenge Ladder
- ③ 2ft/3ft Boulder Climber
- ⑤ 4ft Single Slide
- ⑦ 6ft Single Slide
- ⑨ 5ft Double Slide
- ⑪ 5ft Double Slide
- ② Clover Rain Wheel
- ④ Tic-tac-toe Panel
- ⑥ Single Drum
- ⑧ 6ft Snake Climber
- ⑩ 4ft Spiral Step Climber



00

11

12


13



KESTRA
WKP35-0137

Ages: 5-12
Fall Height: 84"
Use Zone: 40'x33'
Equipment Size: 25'11"x20'2"x9'11"

NATURE PRIMARY
● ● ● ● ● ●



- ① 4ft Arch Climber
- ③ Single Slide
- ⑤ Sectional Slide Right Turn
- ⑦ 4ft/5ft Arc 'Climber
- ② Single Drum
- ④ Challenge Ladder
- ⑥ Clover Rain Wheel
- ⑧ 4ft Double Slide



00

11

12

13

Klassic Play KwikShip

LIL BUGGER WKP35-0111


Ages: 5-12

Fall Height: 84"

Use Zone: 29'x26'

Equipment Size: 16'11"x13'6"x8'1"

NATURE PRIMARY



- ① Challenge Ladder
- ② 3ft Clover Steps
- ③ 4ft Double Slide
- ④ Orbit Panel
- ⑤ Seat
- ⑥ Arc Climber
- ⑦ Clover Rain Wheel
- ⑧ ADA Transfer Station



TRIAD FALLS WKP35-0105


Ages: 5-12

Fall Height: 60"

Use Zone: 34'x34'

Equipment Size: 22'1"x19'7"x13'8"

NATURE PRIMARY



- ① 5ft Single Slide Right Turn
- ② 5ft Single Slide
- ③ 5ft Single Slide Left Turn
- ④ 3ft Double Slide
- ⑤ 2ft/3ft Boulder Climber
- ⑥ Single Drum
- ⑦ ADA Transfer Station
- ⑧ Clover Rain Wheel



TUNNEL RUSH WKP35-0123


Ages: 5-12

Fall Height: 84"

Use Zone: 31'x28'

Equipment Size: 18'3"x15'7"x11'2"

NATURE PRIMARY



- ① Challenge Ladder
- ② 4ft Double Slide
- ③ 4ft Single Slide
- ④ Counter Panel
- ⑤ Tic-tac-toe Panel
- ⑥ Single Drum
- ⑦ Clover Rain Wheel
- ⑧ ADA Transfer Station
- ⑨ 4ft Arch Climber



Klassic Play KwikShip


Klassic Play KwikShip



ARCH GLIDER WKP35-0106

Ages: 5-12
Fall Height: 72"
Use Zone: 42'x41'
Equipment Size: 29'8"x28'11"x15'9"

NATURE PRIMARY
● ● ● ● ●




Klassic Play KwikShip



RIDGE RACER WKP35-0112

Ages: 5-12
Fall Height: 72"
Use Zone: 38'x30'
Equipment Size: 23'9"x17'3"x14'6"

NATURE PRIMARY
● ● ● ● ●



Klassic Play KwikShip



RUSH & GLIDE

WKP35-0115


Ages: 5-12

Fall Height: 72"

Use Zone: 46'x27'

Equipment Size: 33'5" x 14'8" x 14'2"

NATURE
PRIMARY



① 6ft Single Slide
② Role-play Panel
③ 4ft Single Slide Left Turn
④ Bones Bridge
⑤ 4ft Double Slide
⑥ Arch Climber
⑦ Clover Rain Wheel
⑧ Gears Panel (Above)
⑨ 6ft Snake Climber
⑩ ADA Transfer Station

RUSH & GLIDE

WKP35-0115


Ages: 5-12

Fall Height: 72"

Use Zone: 46'x27'

Equipment Size: 33'5" x 14'8" x 14'2"

NATURE
PRIMARY



① 6ft Single Slide
② Role-play Panel
③ 4ft Single Slide Left Turn
④ Bones Bridge
⑤ 4ft Double Slide
⑥ Arch Climber
⑦ Clover Rain Wheel
⑧ Gears Panel (Above)
⑨ 6ft Snake Climber
⑩ ADA Transfer Station

RUSH & GLIDE

WKP35-0115


Ages: 5-12

Fall Height: 72"


Use Zone: 46'x27'

Equipment Size: 33'5" x 14'8" x 14'2"

NATURE
PRIMARY



① 6ft Single Slide
② Role-play Panel
③ 4ft Single Slide Left Turn
④ Bones Bridge
⑤ 4ft Double Slide
⑥ Arch Climber
⑦ Clover Rain Wheel
⑧ Gears Panel (Above)
⑨ 6ft Snake Climber
⑩ ADA Transfer Station



RUSH & GLIDE

WKP35-0115


Ages: 5-12

Fall Height: 72"

Use Zone: 46'x27'

Equipment Size: 33'5" x 14'8" x 14'2"

NATURE
PRIMARY



① 6ft Single Slide
② Role-play Panel
③ 4ft Single Slide Left Turn
④ Bones Bridge
⑤ 4ft Double Slide
⑥ Arch Climber
⑦ Clover Rain Wheel
⑧ Gears Panel (Above)
⑨ 6ft Snake Climber
⑩ ADA Transfer Station




Klassik Play KwikShip

BREEZY DUO
WKP35-0122

BREEZY DUO
WKP35-0122


BREEZY DUO
WKP35-0122



**TRITONS TRIPOD
WKP35-0116**

**TRITONS TRIPOD
WKP35-0116**

**TRITONS TRIPOD
WKP35-0116**



**TRITONS TRIPOD
WKP35-0116**




Klassic Play KwikShip



SUNBEAM SUMMIT WKP35-0101

Ages: 2-5
Fall Height: 36"
Use Zone: 30'x30'
Equipment Size: 17'8"x14'4"x9'1"

NATURE PRIMARY
● ● ● ● ● ●



- ① 3ft Single Slide
- ② 3ft Spiral Step Climber
- ③ Clover Rain Wheel
- ④ Orbit Insert
- ⑤ 3ft Straight Rung Climber
- ⑥ 3ft Single Slide Right Turn
- ⑦ Gears Insert
- ⑧ Single Drum
- ⑨ Crawl Tunnel
- ⑩ ADA Transfer Station


Klassic Play KwikShip



CEDAR CASCADE WKP35-0121

Ages: 5-12
Fall Height: 60"
Use Zone: 35'x28'
Equipment Size: 23'7"x14'10"x10'

NATURE PRIMARY
● ● ● ● ● ●




- ① Single Drum
- ② Arch Climber
- ③ Clover Rain Wheel
- ④ Bubble Window Panel
- ⑤ 5ft Double Slide
- ⑥ Beads Panel
- ⑦ Crawl Tunnel
- ⑧ Arch Climber
- ⑨ 4ft Sectional Slide 45° Right Turn
- ⑩ ADA Transfer Station



BOULDER DASH WKP35-0109

Ages: 2-5
Fall Height: 48"
Use Zone: 32'x24'
Equipment Size: 19'5"x12'2"x13'10"

NATURE PRIMARY
● ● ● ● ● ●



- ① 4ft Single Slide
- ② Gears Panel (Above)
- ③ Seat (Below)
- ④ 3ft Single Slide Right Turn
- ⑤ 3ft Spiral Step Climber
- ⑥ Arch Climber
- ⑦ Clover Rain Wheel
- ⑧ ADA Transfer Station




Klassic Play KwikShip



TWISTED VINES WKP35-0113

Ages: 2-5
Fall Height: 48"
Use Zone: 37'x31'
Equipment Size: 22'4"x20'7"x12'8"

NATURE PRIMARY
● ● ● ● ● ●



00



11



12



13


Klassic Play KwikShip



QUAD RUSH WKP35-0108

Ages: 2-5
Fall Height: 48"
Use Zone: 36'x38'
Equipment Size: 22'11"x24'9"x13'9"

NATURE PRIMARY
● ● ● ● ● ●



00



11



12




13

Klassic Play KwikShip

ROVER WAY WKP35-0142

Ages: 2-5
Fall Height: 36"
Use Zone: 25'x25'
Equipment Size: 11'1"x12'8"x7'

NATURE PRIMARY
● ● ● ● ● ●



- ① Clover Rain Wheel
- ② Tic-Tac-Toe Panel
- ③ Single Drum
- ④ 3ft Single Slide
- ⑤ 2ft/3ft Boulder Climber
- ⑥ ADA Transfer Station



N00




P00

BOSTON BREEZE WKP35-0132

Ages: 2-5
Fall Height: 48"
Use Zone: 28'x29'
Equipment Size: 14'3"x15'8"x12'8"

NATURE PRIMARY
● ● ● ● ● ●



- ① 4ft Single Slide
- ② 4ft Net Climber
- ③ Seat (Below)
- ④ Clover Rain Wheel
- ⑤ 4ft Spiral Step Climber
- ⑥ ADA Transfer Station



00



11



12




13

BEXLEY WKP35-0156

Ages: 2-12
Fall Height: 48"
Use Zone: 27'x28'
Equipment Size: 13'5"x15'x13'9"

NATURE PRIMARY
● ● ● ● ● ●



- ① 4ft Spiral Step Climber
- ② 4ft/5ft Arc Climber
- ③ 4ft Single Slide Left Turn



00



11



12




13

RIDGE WARP WKP35-0163

Ages: 5-12
Fall Height: 48"
Use Zone: 35'x28'
Equipment Size: 22'1"x14'10"x12'2"

NATURE PRIMARY
● ● ● ● ● ●



- ① Vertical Curve Climber
- ② 4ft Single Slide
- ③ ADA Transfer Station
- ④ Bongo
- ⑤ 4ft Arch Climber
- ⑥ 4ft Snake Climber
- ⑦ Rain Wheel
- ⑧ 4ft Single Slide Left Turn



00



11



12



13

Klassic Play KwikShip

PAT'S PLACE WKP35-0155


Ages: 2-12

Fall Height: 48"

Use Zone: 27'x24'

Equipment Size: 14'11"x11'10"x11'8"

NATURE PRIMARY



- ① 4ft Net Climber
- ② 4ft/5ft Arc Climber
- ③ Gears Panel (Above)
- ④ 2ft/3ft Boulder Climber
- ⑤ 4ft Double Slide



BREEZY PEAK WKP35-0124


Ages: 2-5

Fall Height: 48"

Use Zone: 29'x28'

Equipment Size: 15'7"x16'1"x12'2"

NATURE PRIMARY



- ① 3ft Single Slide left Turn
- ② 4ft Spiral Step Climber
- ③ Arch Climber
- ④ 4ft Single Slide
- ⑤ Clover Rain Wheel
- ⑥ ADA Transfer Station



LODI WKP35-0157


Ages: 2-12

Fall Height: 48"

Use Zone: 27'x22'

Equipment Size: 12'7"x9'6"x8'

NATURE PRIMARY



- ① 4ft/5ft Arc Climber
- ② Gears Insert
- ③ Clover Rain Wheel
- ④ 4ft Single Slide Left Turn



DOUBLE DAZZLE WKP35-0120


Ages: 2-5

Fall Height: 36"

Use Zone: 27'x23'

Equipment Size: 12'2"x12'2"x12'10"

NATURE PRIMARY



- ① 3ft Sectional Slide 45° Right Turn
- ② Single Drum
- ③ Clover Rain Wheel
- ④ 3ft Pod Climber
- ⑤ ADA Transfer Station



Klassic Play KwikShip

RANGER'S CRAWL WKP35-0114


Ages: 6-23 Months

Fall Height: 12"

Use Zone: 19'x15'

Equipment Size: 13'9"x8'7"x9'8"

NATURE PRIMARY




PINECONE PLAY WKP35-0103

Ages: 6-23 Months

Use Zone: 15'x14'

Equipment Size: 8'8"x7'2"x4'1"

NATURE PRIMARY



PEBBLE CHASE WKP35-0158


Ages: 6-23 Months

Fall Height: 24"

Use Zone: 21'x15'

Equipment Size: 13'1"x12'2"x11'9"

NATURE PRIMARY



Klassic Play KwikShip

BUTTONWOOD WKP35-0159


Ages: 6-23 Months

Fall Height: 24"

Use Zone: 17'11" x 16'9"

Equipment Size: 8'11" x 10'1" x 6'

NATURE PRIMARY



- ① Clover Rain Wheel
- ② 2ft Single Slide
- ③ Beads Insert



BIMSY WKP35-0160


Ages: 6-23 Months

Fall Height: 24"

Use Zone: 17'10" x 21'11"

Equipment Size: 10'4" x 13'6" x 10'7"

NATURE PRIMARY



- ① 3ft Single Slide
- ② Single Drum
- ③ Orbit Insert
- ④ Tic-tac-toe Panel
- ⑤ Numbers & Alphabets Insert
- ⑥ Beads Insert
- ⑦ Clover Rain Wheel
- ⑧ Maze Panel
- ⑨ 12" Inclined Crawl Tunnel
- ⑩ Gears Insert




SCOOTER STOP WKP35-0161

Ages: 6-23 Months

Use Zone: 12'4" x 10'

Equipment Size: 12'2" x 12'2" x 8'10"

NATURE PRIMARY



- ① Seat
- ② Gears Insert
- ③ PE Counter Panel
- ④ Steering Wheel Panel




CATTAIL COVE WKP35-0162

Ages: 6-23 Months

Use Zone: 12'10" x 11'8"

Equipment Size: 7'8" x 6'10" x 8'10"

NATURE PRIMARY



- ① Single Drum
- ② Seat
- ③ Gears Insert
- ④ PE Counter Panel
- ⑤ Numbers & Alphabets Insert





KlassicFREE KwikShip

Freestanding Fun-Ready When You Are.

KlassicFREE KwikShip combines the versatility of our freestanding product collection with the speed of accelerated delivery. Featuring a curated selection of our most popular standalone play products, KwikShip helps parks, schools, and communities complete projects faster while maintaining the quality and durability you expect from World Klass Play.

From swings and slides to climbers, crawl tubes, and play events, these ready-to-order products are ideal for expanding existing playgrounds, replacing aging equipment, or adding exciting new attractions with minimal lead time.

When every day counts, KlassicFREE KwikShip delivers dependable products, simplified ordering, and faster installation-so communities can enjoy exceptional play sooner.

KlassicFREE KwikShip

SWING



IG
SINGLE POST SWING W/TOT ARM
QSSPS-0801-1A Color Option: ● ●



IG
ARCH POST SWING
QSAS-350801 Color Option: ● ●



IG
BUCKET TREE SWING
QSSPS-0801-TS Color Option: ● ●



ADA SEAT
Color Option: ● ●



FULL BUCKET SEAT
Color Option: ● ●



BELT SEAT
Color Option: ● ● ● ● ●



1FT GALVANIZED STEEL CHAIN



SINGLE CLEVIS CONNECTOR


Number	Description	Use Zone
AS-350801	3.5" Arch Swing Frame 8ft-1 Bay	24'x32'
AS-350802	3.5" Arch Swing Frame 8ft-2 Bay	36'x32'
AS-350803	3.5" Arch Swing Frame 8ft-3 Bay	48'x32'
AS-350804	3.5" Arch Swing Frame 8ft-4 Bay	60'x32'
SPS-0801	5" Single Post Swing 8ft-1 Bay	24'x32'
SPS-0802	5" Single Post Swing 8ft-2 Bay	36'x32'
SPS-0803	5" Single Post Swing 8ft-3 Bay	48'x32'
SPS-0804	5" Single Post Swing 8ft-4 Bay	60'x32'
SPS-0801-1A	5" Single Post Swing 8ft 1- Bay W/ARM	30'x32'
SPS-0801-TS	5" Single Post Swing Bucket Tree Swing	30'x32'
SS-0011	Full Bucket Seat & Galvanized Steel Chain Set	Sold Separately
SS-0012	Belt Seat & Galvanized Steel Chain Set	Sold Separately
SS-0089-118	Adaptive Swing Seat (Red)	Sold Separately
SS-0089-110	Adaptive Swing Seat (Green)	Sold Separately



TRAIL BLAZER
QSFS-CL0017

Ages: 5-12
Fall Height: 84"
Use Zone: 42'x43'
Equipment Size: 29'x9'31"


NATURE PRIMARY
● ● ● ● ● ●



DAYTON
QSFS-CL0038

Ages: 5-12
Fall Height: 84"
Use Zone: 44'x29'
Equipment Size: 32'1"x16'7"


NATURE PRIMARY
● ● ● ● ● ●




DANVILLE
QSFS-CL0037

Ages: 5-12
Fall Height: 72"
Use Zone: 37'x29'
Equipment Size: 24'11"x19'2"

NATURE PRIMARY
● ● ● ● ● ●




Ages: 5-12
Fall Height: 84"
Use Zone: 31'x31'
Equipment Size: 18'10"x18'4"



- ① Challenge Ladder
- ② Overhead Challenger
- ③ 4 Clover Steps Bridge
- ④ Overhead Rotating Rings
- ⑤ 90° Overhead Swinging Rings
- ⑥ Qubest
- ⑦ 6" Clover Step

Ages: 5-12
Fall Height: 84"
Use Zone: 30'x28'
Equipment Size: 18'x15'6"



- ① Overhead Rotating Rings
- ② Bear Step
- ③ Overhead Challenger
- ④ 6ft PE Climber w/Deck
- ⑤ O-zone Climber
- ⑥ Sail PE Climbing Panel
- ⑦ Net Climber-Ladder



Ages: 5-12
Fall Height: 12"
Use Zone: 15' x 11'



Ages: 5-12
Fall Height: 68"
Use Zone: 28' x 20'



Age: 5-12
Fall Height: 96"
Use Zone: 19'x18'
Equipment Size: 6'5"x5'10"x9'1"



Age: 5-12
Fall Height: 48"
Use Zone: 13'x15'
Equipment Size: 6'x4'9"x4'6"





SM

IG



QUBEST | QSQB-210001
Age: 5-12
Fall Height: 48"
Use Zone: 17' x 17'

NATURE

PRIMARY

SM

IG



KUAD KREST | QSQB-W210015
Age: 5-12
Fall Height: 72"
Use Zone: 24' x 29'

NATURE

PRIMARY

IG



Q | QSQB-21097
Age: 2-12
Fall Height: 24"
Use Zone: 17' x 17'

NATURE

PRIMARY

SM

IG



KUAD HIGH FIVE | QSQB-W210014
Age: 5-12
Fall Height: 72"
Use Zone: 24' x 16'

NATURE

PRIMARY



IG

**WKP 6' FREESTANDING SINGLE SLIDE
QSFS-WSL7201SR**
Ages: 5-12
Fall Height: 72"
Use Zone: 23' x 15'

NATURE

PRIMARY



IG

DELICATE ARCH | QSMR-210002
Ages: 5-12
Fall Height: 83"
Use Zone: 20' x 17'

NATURE

PRIMARY



IG

**WKP 5' FREESTANDING SINGLE SLIDE
QSFS-WSL6001AC**
Ages: 5-12
Fall Height: 60"
Use Zone: 27' x 15'

NATURE

PRIMARY



IG

BALANCED ROCK | QSMR-210001
Ages: 5-12
Fall Height: 83"
Use Zone: 20' x 16'

NATURE

PRIMARY



SM IG

WISESAW - DUO
QSSR-21005

Ages: 2-5 & 5-12
Use Zone: 12'x8'



SM IG

HORSE RIDER
QSSR-21008

Ages: 2-5
Use Zone: 15'x13'



SM IG

BEE RIDER
QSSR-21007

Ages: 2-5
Use Zone: 15'x13'



SM IG

FIRE TRUCK RIDER
QSSR-21006

Ages: 2-5
Use Zone: 15'x13'



SM IG

PONY RIDER
QSSR-21004

Ages: 2-5
Use Zone: 15'x14'



SM IG

ATV RIDER
QSSR-21039

Ages: 2-5
Use Zone: 16'x14'



SM IG

BULLDOZER RIDER
QSSR-21040

Ages: 2-5
Use Zone: 16'x14'



SM

CATERPILLAR CRAWL
TUNNEL-UNIT
QSHW1-S1A308

Ages: 2-5
Use Zone: 11'x11'



SM

CATERPILLAR CRAWL
TUNNEL-COMPLETE SET
QSHW1-S1A309


Ages: 2-5
Use Zone: 17'x13'



SM

TRAIN CRAWL
TUNNEL-ENGINE
QSHW1-S310-V01

Ages: 2-5
Use Zone: 11'x10'



SM

TRAIN CRAWL TUNNEL-
CARRIAGE
QSHW1-S311-V01

Ages: 2-5
Use Zone: 11'x10'



IG
STAND & SPIN
QS75-21003-110
Ages: 5 -12
Use Zone: 21' x 21'



IG
LOTUS SPINNER
QS75-21004-112
Ages: 5 -12
Use Zone: 14' x 14'



IG
WISE TOSS
QSLs-JSQC006
Ages: 2-12
Use Zone: 3' x 3'
Color Option: I



PLAYGROUND BALLS
(SET OF 6)
QS72-21032



SM IG
GFRc TIMBER
CRAWL TUNNEL
QS72-22001
Ages: 2-12
Use Zone: 10' x 9'



SM IG
GFRc STUMP JUMP
QS63-21078
Ages: 2-12
Use Zone: 12' x 8'



IG
FROG HOPPER
QSFS-CL0019P
Ages: 2-12
Use Zone: 13' x 13'



IG
TETHERBALL SET
QSFS-CL3524-116BN



SM IG
LEAF BALANCE STEPS
QS75-21012-114
Ages: 2-12
Use Zone: 20' x 17'



SM IG
BALANCE BEAM
QS75-21009-110
Ages: 2-12
Use Zone: 19' x 13'



SM
WISE BLACKBOARD
QS78-21001
Equipment Size: 4'3" x 1'



SM
WISE WHITE BOARD
QS78-21002
Equipment Size: 4'3" x 1'



SM
WISE PAINT BOARD
QS78-21003
Equipment Size: 4'3" x 1'



WALL-MOUNTED CHALK BOARDS



WILD BUNCH
QSGP2-T072



CAREY THE
CARROT
QS78-21006
Equipment Size:
2'6" x 5"



ALLIE THE
APPLE
QS78-21007
Equipment Size:
3' x 5"



FIONA THE
FLOWER(BLUE)
QS78-21008
Equipment Size:
2'11" x 4"



FIONA THE
FLOWER(PURPLE)
QS78-21008-77
Equipment Size:
2'11" x 4"



FIONA THE
FLOWER(ORANGE)
QS78-21008-121
Equipment Size:
2'11" x 4"



FIONA THE
FLOWER(RED)
QS78-21008-118
Equipment Size:
2'11" x 4"



FIONA THE
FLOWER(LIME)
QS78-21008-122
Equipment Size:
2'11" x 4"



SM

RAINBOW XYLOPHONE
QS72-22003

Equipment Size: 2' x 1'6"



SM

BONGO DRUMS
QS72-22004

Equipment Size: 3'5"x 9"



SM

SPLIT RAINBOW XYLOPHONE
QS72-22002

Equipment Size: 2'8" x 1'4"



IG

ALTO
QSFS-WP0001N

Equipment Size: 3'10" x 6"



NEW SM IG

STRATA STEPS
QSFS-WCL0042

Ages: 2-5
Use Zone: 16'4"x15'3"
Equipment Size: 4'3"x3'1"x1'11"

NATURE PRIMARY



NEW SM IG

STRATA STEPS TERRACE
QSFS-WCL0043

Ages: 2-5
Use Zone: 19'2"x17'9"
Equipment Size: 7'1"x5'9"x1'

NATURE PRIMARY



NEW IG

FOSSIL FLEX BRIDGE
QSFS-CL0045

Ages: 2-5
Use Zone: 6'5"x4'3"
Equipment Size: 6'5"x4'3"x5'1"

NATURE PRIMARY



NEW IG

SPY-GLASS PASS
QSFS-CL0046

Ages: 2-12
Use Zone: 16'x15'
Equipment Size: 4'7"x3'4"x4'4"

NATURE PRIMARY



12 SM

WISE DOC
QS76-21078

Ages: 2-12
Equipment Size: 4'6"x4'10"x5'3"



12 SM

WISE FIRE HOUSE
QS76-21076

Ages: 2-12
Equipment Size: 4'6"x4'10"x5'3"



12 SM

WISE GARDENER
QS76-21075

Ages: 2-12
Equipment Size: 4'6"x4'10"x5'3"



ZOOMSTER
QSYJ001366-V01

Ages: 2-5
Equipment Size: 5'8" x 3'5" x 3'11"



SKY COPTER SAM
QSYJ001367-V01

Ages: 2-5
Equipment Size: 6'8" x 4'11" x 4'



CHARLIE THE CHOOCHOO TRAIN
QSYJ001368-V01

Ages: 2-5
Equipment Size: 6'1" x 4' x 4'3"



TUGBOAT TOM
QSYJ001370-V02

Ages: 2-5
Equipment Size: 6'9" x 3'4" x 3'5"



BERNICE THE BUS
QS76-21094

Ages: 2-5
Equipment Size: 9' x 5'9" x 4'10"



FRANNY THE FIRE TRUCK
QSYJ001369-V01

Ages: 2-5
Equipment Size: 6'9" x 4' x 4'



HAPPY HARVESTER
QSYJ001318-V02

Ages: 2-5
Equipment Size: 5'10" x 3' x 4'



7 SEAS
QSYJ001320-V03

Ages: 2-5
Equipment Size: 6'5" x 3'1" x 2'4"




SM IG

WISEBIN
QS72-21021-110
Equipment Size:1'11" x 1'11"




SM IG

WISEBIN
WITH RAIN COVER
QS72-21022-110
Equipment Size:1'11" x 1'11"



8" BORDER TIMBER
W/SPIKE
QSTB-5208-2B2
Equipment Size:4'3" x 4"



HALF ADA RAMP
QSTB-6244-2B2
Equipment Size:5'2" x 3'9"

12" BORDER TIMBER
W/SPIKE
QSTB-5212-2B2
Equipment Size:4'4" x 4"



SM IG

6' RECTANGULAR PICNIC TABLE
PERFORATED PATTERN
QSSAP-21001-110
Equipment Size:6'1" x 5'2"



SM
SINGLE BIKE RACK
QS72-21015-131
Equipment Size:1'3" x 3"



SM
DOUBLE BIKE RACK
QS72-21016-131
Equipment Size:3'2" x 3"



SM IG

6' BENCH W/BACK
PERFORATED PATTERN
QSSAP-21002-IG-110
Equipment Size:6'2" x 3"



KlassicPLAY Kustom

Built Around Your Vision

Every community is different, and your playground should reflect that. KlassicPLAY Kustom gives you the freedom to design a one-of-a-kind playground tailored to your space, budget, age group, and play objectives.

Choose from an extensive selection of decks, slides, climbers, bridges, activity panels, roofs, and play events to create a playground that is uniquely yours. Whether you're designing a destination park, school playground, church, HOA, or neighborhood recreation space, our team works with you to bring your vision to life.

With premium materials, vibrant color options, and endless configuration possibilities, KlassicPLAY Kustom delivers custom playgrounds that inspire imagination, encourage active lifestyles, and provide years of reliable performance.

KlassicPlay Kustom



KAROO LOOKOUT WKP35-0128C


Ages: 5-12

Fall Height: 84"

Use Zone: 52'x35'

Equipment Size: 39'6"x22'8"x21'3"

FLANNEL




- ① Giraffe Net Climber
- ② Tree Net Climber
- ③ Arch Climber
- ④ Bones Bridge
- ⑤ Role-play Panel (Below)
- ⑥ 10ft Spiral Tube Slide
- ⑦ Maze Panel
- ⑧ Orbit Panel (Above)
- ⑨ Steering Wheel Panel(Below)
- ⑩ Gears Panel
- ⑪ Crawl Tunnel
- ⑫ Beads Panel
- ⑬ 3ft Single Slide
- ⑭ 3ft Arch Climber
- ⑮ Talk Tube
- ⑯ Bones Climber
- ⑰ Deck to ground Challenge Ladder
- ⑱ 4ft Single Slide
- ⑲ 4ft Single Slide
- ⑳ Numbers & Alphabets Panel
- ㉑ ADA Transfer Station



BRIANNA'S WAY
WKP35-0118C

Ages: 5-12
Fall Height: 48"
Use Zone: 35'x28'
Equipment Size: 23'8"x16'1"x13'10"

SHINE




- ① 4ft Single Slide
- ② Clover Rain Wheel
- ③ 4ft Arch Climber
- ④ 4ft Net Climber
- ⑤ Single Drum
- ⑥ Bones Bridge
- ⑦ Vertical Curve Climber
- ⑧ ADA Transfer Station



DAISY DRIFT
WKP35-0153C

Ages: 5-12
Fall Height: 60"
Use Zone: 33'x30'
Equipment Size: 20'7"x17'9"x19'

SERENE SKY




- ① Clover Rain Wheel
- ② Single Slide
- ③ Gears Panel
- ④ Arch Climber
- ⑤ Spiral Slide
- ⑥ Orbit Panel
- ⑦ 4ft/5ft Arc Climber
- ⑧ Challenge Ladder
- ⑨ Single Drum
- ⑩ ADA Transfer Station



TORIN
WKP35-0154C

Ages: 5-12
Fall Height: 72"
Use Zone: 34'x29'
Equipment Size: 22'x16'10"x14'2"

SPRING




- ① 4ft Single Slide ② Single Drum
③ Tic-tac-toe Panel ④ 5ft Arch Climber
⑤ 6ft Spiral Slide ⑥ Gears Insert Panel



WEST BAY
WKP35-0126C

Ages: 5-12
Fall Height: 96"
Use Zone: 43'x48'
Equipment Size: 26'6"x33'4"x11'10"

BEACHY



- | | |
|------------------------|-----------------------------|
| ① 6ft Sectional Slide | ② 4ft Single Slide |
| ③ 8ft Wing Climber | ④ Bones Bridge |
| ⑤ 6ft Snake Climber | ⑥ 4ft Single Slide |
| ⑦ Bones Climber | ⑧ Single Drum |
| ⑨ 6ft Sectional Slide | ⑩ Numbers & Alphabets Panel |
| ⑪ Orbit Panel | ⑫ 6ft Ribbon Climber |
| ⑬ ADA Transfer Station | ⑭ Role-play Panel |
| ⑮ Gears Panel | |



BONE BRIDGE RAPIDS WKP35-0125C

Ages: 5-12

Fall Height: 72"


Use Zone: 56'x55'

Equipment Size: 40'5"x41'10"x16'4"

SHINE



- | | | |
|---------------------------|-------------------------------------|---------------------------|
| ① 6ft Single Slide | ② 6ft Sectional Slide 45° Left Turn | ③ 6ft Ribbon Climber |
| ④ Role-play Panel | ⑤ Bones Bridge | ⑥ Talk Tube |
| ⑦ Orbit Panel | ⑧ 6ft Sectional Slide | ⑨ 6ft Straight Tube Slide |
| ⑩ 6ft Spiral Step Climber | ⑪ 3ft-5ft Single Slide | ⑫ 4ft Double Slide |
| ⑬ Gears Panel | ⑭ 4ft Trunk Climber | ⑮ Tri-Crawl Panel |
| ⑯ 4ft Net Climber | ⑰ Arch Climber | ⑱ Bubble Window Panel |
| ⑲ 4ft Snake Climber | ⑳ Crawl Tunnel | ㉑ Ladybug Net Climber |
| ㉒ Ladybug Ladder Climber | ㉓ 3ft Single Slide Right Turn | ㉔ ADA Transfer Station |



SAN PEDRO WKP35-0131C


Ages: 5-12

Fall Height: 96"

Use Zone: 37'x30'

Equipment Size: 22'11"x18'3"x11'11"

POWER




- | | | |
|--------------------------------------|----------------------|------------------------|
| ① 6ft Single Slide | ⑤ 8ft Wing Climber | ⑨ Bones Climber |
| ② Clover Rain Wheel | ⑥ 3ft Ribbon Climber | ⑩ 6ft Ribbon Climber |
| ③ 8ft Sectional Slide 45° Right Turn | ⑦ Gears Panel | ⑪ Role-play Panel |
| ④ 3ft Ribon Climber | ⑧ PE Stool | ⑫ ADA Transfer Station |



EAST BANK RACER
WKP35-0129C

Ages: 2-12
Fall Height: 72"
Use Zone: 53'x30'
Equipment Size: 45'5"×17'6"×12'7"

DRIFTWOOD




- ① Clover Step
- ② Trunk Link w/Handrail
- ③ 6ft S-shape Tube Slide
- ④ 4ft Single Slide
- ⑤ GFRC Timber Crawl Tunnel
- ⑥ Bones Climber
- ⑦ 6ft Straight Rung Climber
- ⑧ ADA Transfer Station



RIVERS END
WKP35-0136C

Ages: 5-12
Fall Height: 84"
Use Zone: 49'x40'
Equipment Size: 35'10"×27'9"×12'8"

LIMELIGHT



- ① Overhead Loop Challenge
- ② Challenge Ladder
- ③ Clover Rain Wheel
- ④ 6ft Straight Rung Climber
- ⑤ 6ft Spiral Slide
- ⑥ 5ft Straight Tube Slide
- ⑦ Single Drum
- ⑧ 6ft Single Slide
- ⑨ 4ft/5ft Arc Climber
- ⑩ 5ft Snake Climber
- ⑪ Seat
- ⑫ ADA Transfer Station
- ⑬ 5ft Spiral Step Climber
- ⑭ 6ft S-shape Tube Slide
- ⑮ 6ft L-shape Tube Slide Right Turn
- ⑯ PE Counter Panel
- ⑰ 4ft/5ft Arc Climber
- ⑱ 5ft Snake Climber
- ⑲ Seat
- ⑳ ADA Transfer Station



MASON'S MAZE
WKP35-0133C

Ages: 5-12
Fall Height: 72"
Use Zone: 46'x36'
Equipment Size: 33'7"x21'9"x10'

FLANNEL




- ① 3ft Wing Climber
- ③ 4ft Single Slide
- ⑤ Counter Panel
- ⑦ 6ft Single Slide
- ⑨ ADA Transfer Station
- ⑪ 5ft Pod Climber
- ⑬ Overhead Beam Loops
- ② Seat
- ④ 6ft Spiral Step Climber
- ⑥ Single Drum
- ⑧ 6ft Spiral Slide
- ⑩ Clover Rain Wheel
- ⑫ 3ft Snake Climber



TAYLORS CROSSING
WKP35-0139C

Ages: 5-12
Fall Height: 72"
Use Zone: 44'x39'
Equipment Size: 29'9"x23'4"x10'

NORTH



- ① 6ft Spiral Slide
- ③ Overhead Beam Loops
- ⑤ 2ft/3ft Boulder Climber
- ⑦ 4ft Snake Climber
- ⑨ Beads Panel
- ⑪ 3ft Straight Rung Climber
- ② 4ft Snake Climber
- ④ 90° Overhead Loops
- ⑥ 4ft Snake Climber
- ⑧ Orbit Panel
- ⑩ 3ft Single Slide
- ⑫ ADA Transfer Station



JAMESON PLACE
WKP35-0138C

Ages: 5-12
Fall Height: 72"
Use Zone: 37'x34'
Equipment Size: 23'4"x20'2"x12'7"

LIVELY




- ① 4ft Double Slide
- ② 4ft Single Slide
- ③ Tic-Tac-Toe Panel
- ④ 4ft Single Slide Left Turn
- ⑤ 4ft/5ft Arc Climber
- ⑥ 6ft Spiral Slide
- ⑦ Seat (Below)
- ⑧ ADA Transfer Station
- ⑨ Single Drum
- ⑩ 4ft Straight Rung Climber
- ⑪ 4ft Spiral Step Climber
- ⑫ Music Theme Panel
- ⑬ Crawl Tunnel 60° Corner
- ⑭ Counter Panel (Below)
- ⑮ Gears Panel (Above)



TURNABOUT
WKP35-0145C

Ages: 5-12
Fall Height: 72"
Use Zone: 41'x32'
Equipment Size: 29'x17'2"x16'4"

LIMELIGHT




- ① Clover Rain Wheel
- ② Orbit Panel
- ③ Music Theme Panel
- ④ 4ft/5ft Arc Climber
- ⑤ 5ft Single Slide
- ⑥ Gears Panel (Above)
- ⑦ 4ft Snake Climber
- ⑧ ADA Transfer Station
- ⑨ 4ft Clover Steps
- ⑩ Single Drum
- ⑪ 5ft Straight Rung Climber
- ⑫ 6ft Spiral Slide
- ⑬ Counter Panel (Below)
- ⑭ Numbers & Alphabets Panel
- ⑮ 4ft Single Slide



RYKER RIDGE
WKP35-0144C

Ages: 2-12
Fall Height: 72"
Use Zone: 44'x32'
Equipment Size: 32'4"x18'8"x10'

DRIFTWOOD




- ① 5ft Single Slide
③ 5ft Double Slide
⑤ Seat (Below)
⑦ 3ft Single Slide
⑨ Clover Rain Wheel
⑪ 4ft Single Slide
⑬ ADA Transfer Station
- ② Single Drum
④ Music Theme Panel
⑥ 4ft Spiral Step Climber
⑧ 90° Overhead Loops
⑩ 4ft Wing Climber
⑫ 5ft Straight Rung Climber



PHOENIX POINT
WKP35-0147C

Ages: 5-12
Fall Height: 72"
Use Zone: 54'x34'
Equipment Size: 40'8"x21'2"x10'11"

FLANNEL



- ① 6ft Single Slide
③ 72" Bones Bridge
⑤ Gears Panel
⑦ Single Drum
⑨ Numbers & Alphabets Panel
⑪ Counter Panel
- ② 6ft Straight Rung Climber
④ 6ft Snake Climber
⑥ 4ft Single Slide
⑧ Orbit Panel
⑩ 6ft Spiral Step Climber
⑫ ADA Transfer Station



SUMMIT JUMP
WKP35-0146C

Ages: 5-12
Fall Height: 84"
Use Zone: 49'x45'
Equipment Size: 36'7"x30'8"x15'8"

POWER




- ① 2ft/3ft Boulder Climber
- ② 4ft Net Climber
- ③ 5ft Straight Rung Climber
- ④ 5ft Spiral Step Climber
- ⑤ 6ft Triple Sectional Split Slide
- ⑥ 5ft Snake Climber
- ⑦ Overhead Beam Loops
- ⑧ O-zone Climber
- ⑨ 4 Clover Steps Bridge w/End Tube Connection
- ⑩ Moab Rock Climber - L
- ⑪ 3ft Double Slide
- ⑫ Arch Climbing Panel
- ⑬ Gears Panel (Above)
- ⑭ Seat (Below)
- ⑮ Overhead Beam Loops w/End Tube Connection
- ⑯ Single Post Overhead Beam Loops w/End Tube Connection
- ⑰ Tic-Tac-Toe Panel
- ⑱ ADA Transfer Station



TIMMYS TOWER
WKP35-0149C

Ages: 5-12
Fall Height: 118"
Use Zone: 52'x47'7"
Equipment Size: 37'9"x29'10"x20'7"

TIDE POOL




- ① 7ft Spiral Slide
- ② Bubble Window Panel
- ③ 6" Clover Step
- ④ Beads Panel (Below)
- ⑤ Gears Panel (Above)
- ⑥ Numbers & Alphabets Panel
- ⑦ Single Drum
- ⑧ 4ft Pod Climber
- ⑨ Clover Rain Wheel
- ⑩ Tic-Tac-Toe Panel
- ⑪ 2ft/3ft Boulder Climber
- ⑫ 3ft Single Slide
- ⑬ Orbit Panel
- ⑭ 10ft Spiral Tube Slide Right Turn
- ⑮ 4ft Single Slide
- ⑯ ADA Transfer Station
- ⑰ 10ft S-shape Tube Slide Left Turn



PORTLAND PATHWAY WKP35-0148C

Ages: 2-5
Fall Height: 36"
Use Zone: 47'x35'
Equipment Size: 35'7"x25'10"x12'8"

PROSPECTIVE




- ① 2ft/3ft Boulder Climber
- ② Music Theme Panel
- ③ 28" Bones Bridge
- ④ Numbers & Alphabets Panel (Above)
- ⑤ Seat (Below)
- ⑥ Crawl Tunnel
- ⑦ 3ft Snake Climber
- ⑧ Bubble Window Panel
- ⑨ 3ft Straight Tube Slide
- ⑩ Gears Panel
- ⑪ Single Drum
- ⑫ 4ft Spiral Step Climber
- ⑬ Clover Rain Wheel
- ⑭ Beads Panel
- ⑮ Orbit Panel
- ⑯ 3ft Single Slide
- ⑰ 3ft Straight Rung Climber
- ⑱ ADA Transfer Station



JUNEAU JUNGLE WKP35-0152C

Ages: 5-12
Fall Height: 84"
Use Zone: 39'x40'
Equipment Size: 26'3"x26'x11'

LIVELY




- ① 4ft Single Slide Left Turn
- ② 4ft Arch Climber
- ③ 12" Inclined Crawl Tunnel
- ④ Counter Panel
- ⑤ 6ft Spiral Step Climber
- ⑥ 6ft Single Slide
- ⑦ 6ft Snake Climber
- ⑧ 6ft Straight Rung Climber
- ⑨ Clover Rain Wheel
- ⑩ Seat
- ⑪ 4ft/5ft Arc Climber
- ⑫ 4ft Wing Climber
- ⑬ Single Drum
- ⑭ 4ft Net Climber
- ⑮ Invert Arch Ladder
- ⑯ 4 Clover Steps Bridge
- ⑰ Overhead Beam Challenge
- ⑱ ADA Transfer Station



HEXAPLAY WKP35-0151C

Ages: 5-12
Fall Height: 60"
Use Zone: 48'x32'
Equipment Size: 35'3"x18'11"x9'1"

SHINE




- ① 5ft Spiral Slide
- ② Seat
- ③ 4ft Snake Climber
- ④ 4ft Single Slide
- ⑤ Numbers & Alphabets Panel
- ⑥ 4ft Clover Steps
- ⑦ Gears Panel
- ⑧ 4ft Arch Climber
- ⑨ Beads Panel
- ⑩ Clover Rain Wheel
- ⑪ Orbit Panel
- ⑫ Single Drum
- ⑬ 4ft Spiral Step Climber
- ⑭ ADA Transfer Station



ANCHORAGE ADVENTURE WKP35-0150C

Ages: 5-12
Fall Height: 72"
Use Zone: 48'x34'
Equipment Size: 34'x21'11"x15'10"

MYSTERY



- ① 3ft Single Slide
- ② Clover Rain Wheel
- ③ 4ft Snake Climber
- ④ Single Drum
- ⑤ 5ft Spiral Step Climber
- ⑥ 6ft Spiral Slide
- ⑦ Gears Insert
- ⑧ Counter Panel (Below)
- ⑨ 4ft Double Slide
- ⑩ Beads Panel (Above)
- ⑪ Orbit Panel (Above)
- ⑫ Steering Wheel Panel (Below)
- ⑬ 4ft Arch Climber
- ⑭ ADA Transfer Station
- ⑮ Seat (Below)
- ⑯ Numbers & Alphabets Panel



BLUEWATER COVE WKP35-0130C


Ages: 2-5

Fall Height: 48"

Use Zone: 35'x28'

Equipment Size: 22'11"x15'4"x10'

LIVELY



- ① 4ft Sail Climber
- ② Bones Bridge
- ③ Bones Climber
- ④ Arch Climber
- ⑤ 4ft Single Slide
- ⑥ Role-play Panel
- ⑦ PE Stool
- ⑧ 4ft Double Slide
- ⑨ ADA Transfer Station



MYOLI FALLS WKP35-0127C


Ages: 2-5

Fall Height: 48"

Use Zone: 32'x29'

Equipment Size: 20'6"x16'8"x9'1"

POWER



- ① 4ft Double Slide
- ② Drum
- ③ 4ft Single Slide
- ④ Seat
- ⑤ 4ft Arch Climber
- ⑥ Bones Climber
- ⑦ ADA Transfer Station
- ⑧ 3ft Snake Climber



LELAND'S DREAM WKP35-0134C


Ages: 2-5

Fall Height: 36"

Use Zone: 35'x29'

Equipment Size: 22'3"x14'4"x8'

PROSPECTIVE




- ① 3ft Single Slide
- ② Clover Rain Wheel
- ③ 4ft Spiral Step Climber
- ④ Single Drum
- ⑤ Gears Panel
- ⑥ 3ft Single Slide Right Turn
- ⑦ 3ft Straight Rung Climber
- ⑧ 3ft Snake Climber
- ⑨ ADA Transfer Station



SWEET PEA
WKP35-0143C

Ages: 2-5
Fall Height: 24"
Use Zone: 22'x23'
Equipment Size: 12'2"x12'4"x11'10"

SPRING




- ① Clover Rain Wheel
- ② Tic-Tac-Toe Panel
- ③ Beads Panel
- ④ Maze Panel
- ⑤ Numbers & Alphabets Insert
- ⑥ 2ft Single Slide
- ⑦ Gears Panel
- ⑧ 12" Inclined Crawl Tunnel
- ⑨ Orbit Panel



LEAF ESCAPE
WKP35-0020C

Ages: 2-5
Fall Height: 36"
Use Zone: 32'x22'
Equipment Size: 15'1"x9'6"x11'11"

PROSPECTIVE





- ① 3ft Sectional Slide 45° Right Turn
- ② Bongo
- ③ Rain Wheel
- ④ 3ft Sectional Slide 45° Left Turn
- ⑤ 3ft Pod Climber
- ⑥ ADA Transfer Station

SCAMPER STEPS
WKP35-0135C

Ages: 2-5
Fall Height: 36"
Use Zone: 28'x25'
Equipment Size: 15'5"x13'x11'7"

BEACHY



- ① 3ft Single Slide Right Turn
- ② 3ft Clover Steps
- ③ Counter Panel
- ④ Maze Panel
- ⑤ 3ft Double Slide
- ⑥ ADA Transfer Station





KlassicFREE

Flexible Play. Endless Possibilities.

Not every project requires a complete playground. KlassicFREE offers a versatile collection of freestanding play events, climbers, swings, slides, crawl tubes, spinners, dog park equipment, and site amenities that can stand alone or enhance existing recreation spaces.

Whether you're expanding a park, filling an unused area, or creating a unique destination, KlassicFREE products make it easy to add exciting play opportunities wherever they're needed. Designed with the same commitment to durability, safety, and quality found throughout the World Klass Play lineup, every product is built to encourage exploration, movement, and imaginative play.

From individual play events to complete recreational spaces, KlassicFREE gives you the freedom to create experiences that fit your community.

KlassicFREE



TORRES PASS CLIMBER MR-W210007

Age: 5-12
Fall Height: 42"
Use Zone: 28'x20'
DESERT MESA



DOLOMITE RIDGE CLIMBER MR-W210008

Age: 5-12
Fall Height: 42"
Use Zone: 27'x18'
ALPINE SPRING




EL CAPITAN CLIMBER MR-W210009

Age: 5-12
Fall Height: 42"
Use Zone: 20'x16'
BASECAMP



VERDON ARCH CLIMBER MR-W210010

Age: 5-12
Fall Height: 42"
Use Zone: 21'x17'
DESERT MESA



FENSTER PASS CLIMBER MR-W210011

Age: 5-12
Fall Height: 42"
Use Zone: 23'x23'
AURORA CLIFFS



SLICKROCK WS-W210005

Age: 5-12
Fall Height: 54"
Use Zone: 22'x22'
EXPEDITION





IG 3.5 360°

360 FREESTANDING SPIRAL SLIDE
FS-WSL7200

Ages: 5-12
Fall Height: 72"
Use Zone: 26'x18'
Equipment Size: 13'2"x5'7"x10'



IG 3.5 270°

270 FREESTANDING SPIRAL SLIDE
FS-WSL6000

Ages: 2-12
Fall Height: 60"
Use Zone: 23'x18'
Equipment Size: 10'5"x6'7"x9'1"



IG 3.5

WIGGLY RACE
FS-WSL72033

Ages: 5-12
Fall Height: 72"
Use Zone: 31'x27'
Equipment Size: 19'x14'1"x10'1"



IG 3.5

WKP 4' FREESTANDING SINGLE SLIDE
FS-WSL4801

Ages: 2-5
Fall Height: 48"
Use Zone: 23'4"x15'1"
Equipment Size: 11'4"x3'5"x8'



IG 3.5

WKP 4' FREESTANDING DOUBLE SLIDE
FS-WSL4802

Ages: 2-5
Fall Height: 48"
Use Zone: 23'x15'9"
Equipment Size: 11'x3'10"x8'



SWING

SINGLE POST SWING W/ SHADE

Number	Description	Use Zone
SPS-0801-SF-114	5" Single Post Swing w/ Shade 8ft-1 Bay	24'x32'
SPS-0802-SF-114	5" Single Post Swing w/ Shade 8ft-2 Bay	36'x32'
SPS-0803-SF-114	5" Single Post Swing w/ Shade 8ft-3 Bay	48'x32'
SPS-0804-SF-114	5" Single Post Swing w/ Shade 8ft-4 Bay	60'x32'
SS-0011	Full Bucket Seat & Galvanized Steel Chain Set	Sold Separately
SS-0012	Belt Seat & Galvanized Steel Chain Set	Sold Separately



IG

ZOOMLINE ZIPPER
FS-WCL0040

Age: 5-12
Fall Height: 84"
Use Zone: 25'x16'
Equipment Size: 13'x3'10"x8'1"



IG

SKY REACH ASCENT CLIMBER
FS-WCL3524-094B

Age: 5-12
Fall Height: 98"
Use Zone: 31'11"x31'11"
Equipment Size: 15'2"x16'2"x8'2"



IG

JUNGLE SPROUTS CLIMBER
76M-W002

Age: 5-12
Fall Height: 63"
Use Zone: 21'x20'
Equipment Size: 8'10"x7'11"x13'10"



SM

CIRCLE CYCLE TRIKE 75-W21024

Ages: 2-5

Use Zone: 18'x18'

Equipment Size: 5'10"×5'10"×3'2"



SM IG

TWIRL A WHIRL 75-W21014

Ages: 5-12

Use Zone: 23'×23'

Equipment Size: 4'2"×4'2"×3'8"



SM IG

ADA TWIRL A WHIRL 75-W21039

Ages: 5-12

Use Zone: 19'×19'

Equipment Size: 6'7"×6'7"×3'5"



SM IG

TWISTY WOO 75-W21072

Ages: 2-5

Use Zone: 16'×16'

Equipment Size: 3'1"×3'3"×3'5"



IG

DIZZY DINO EGG 75-W21073

Ages: 2-5

Equipment Size: 3'11"×3'4"×4'10"



IG

WISE DIG SR-W21015

Ages: 2-5

Equipment Size: 3'6"×1×2'3"

Recommended for use with a 12" depth of loose-fill sand.



SM IG 12

AIRPLANE YJ001319-V02

Ages: 2-5

Use Zone: 19'×17'

Equipment Size: 6'7"×4'10"×2'8"

SM IG 12

BEEP JEEP YJ001317-V03

Ages: 2-5

Use Zone: 18'×15'

Equipment Size: 5'6"×3'1"×3'



SM IG 12

FIRE ENGINE YJ001316-V04

Ages: 2-5

Use Zone: 19'×16'

Equipment Size: 6'5"×3'6"×4'2"



NEW SM IG

STRATA STEPS SUMMIT FS-WCL0044

Ages: 2-5

Use Zone: 20'×19'2"

Equipment Size: 8'1"×7'2"×4'

CITRUS GROVE






SM IG

TERRIER TUNNEL
72-21059

Equipment Size: 3'11"×2'7"×2'7"

PRIMARY



SM IG

PAWTASTIC TUNNEL
72-21060

Equipment Size: 4'3"×3'9"×3'9"

AURORA CLIFFS



SM IG

PAWTASTIC
72-21061

Equipment Size: 3'9"×5"×3'9"

GLACIER



SM IG

POOCH HOOPS
72-21062

Equipment Size: 2'9"×1"×2'8"

PRIMARY



SM IG

WASTE STATION
72-21085

Equipment Size: 1'1"×1'2"×6'2"

NATURE



SM IG

BARK N' OVER
72-21055

Equipment Size: 6'11"×1'7"×2'2"

PRIMARY



SM IG

PAW HOPPER
72-21056

Equipment Size: 10'6"×2'6"×1'3"

CITRUS GROVE



SM IG

PAW WEAVER
72-21057

Equipment Size: 6'10"×1"×2'7"

NATURE



SM IG

PAWSITIVE JUMP
72-21058

Equipment Size: 6'2"×11"×2'1"

NATURE



SM IG

TOTTER PAW
72-21063

Equipment Size: 6'10"×1'10"×1'4"

NATURE



SM IG

PAWSITIVELY TABLE
72-21064

Equipment Size: 3'4"×3'4"×2'

PRIMARY



Component List

ROOF



Square Roof



Curved Square Roof



Cured Hex Roof



Hex Shade Fabric



Square Shade Fabric

ACTIVITY PANELS



Panel Activity Insert



Single Slide Hood



Play house Panel



Double Slide Hood




Riple Sectional Split Slide Hood




Tic-tac-toe Panel



Safety Panel



Gears Insert



Beads Insert



Solar System Panel



Numbers & Alphabets Insert



Music Theme Panel



Maze Panel



Balcony Deck



Steering Wheel Panel



Bench Seat

CLIMBERS



3ft-5ft Arch Climber



3ft-8ft Straight Rung Climber



2ft-3ft Boulder Climber



2ft-3ft Boulder Climber



3ft-6ft Spiral Step Climber



3ft Orbit Climber



3ft-5ft Bones Climber



PE Arch Climbing Panel



3ft-5ft Net Climber



3ft-6ft Pod Climber



Clover Steps



4ft/5ft Arc Climber



Challenge Ladder



Invert Arch Ladder



Overhead Beam Loops




90° Overhead Loops



Overhead Loop Challenge



Overhead Beam Rings



Overhead Beam Wings



Single Post Overhead Beam Rings



4 Clover Steps Bridge



BRIDGES



Bones Bridge



Crawl Tunnel



Arch Bridge



Crawl Tunnel 60° Corner



12" Inclined Crawl Tunnel



Swinging Step Bridge

ACCESSORIES



Single Drum



Clover Rain Wheel



Clover Step

SLIDES



3ft-5ft Single Slide



3ft-5ft Double Slide



2ft-6ft Sectional Slide



4ft-6ft Triple Sectional Split Slide



3ft-10ft Straight Tube Slide



4ft Single Slide Left Turn



3ft Single Slide Right Turn



3ft-10ft Spiral Slide



STEPS



ADA Transfer Platform

POWDER-COATED METAL COLORS



SHADE FABRIC COLORS



HDPE PANEL COLORS



ROTATIONAL PLASTIC COLORS



COLOR SCHEMES



3-5 DAYS

select structures ready to ship in 3-5 business days.

Natural

Icon of a delivery truck.

Color swatches: dark green, brown, dark brown, green.

Primary

Icon of a delivery truck.

Color swatches: blue, yellow, red, dark blue.

Flannel

Color swatches: red, brown, black, tan.

Beachy

Color swatches: teal, brown, white, black.

Driftwood

Color swatches: brown, tan, white, orange.

Lively

Color swatches: green, purple, blue, purple, blue.

Mystery

Color swatches: orange, grey, blue, orange.

Alpine Spring

Color swatches: teal, green, white.

Expedition

Color swatches: brown, blue, orange.

The Meadow

Color swatches: dark green, brown, dark brown, grey.

Midnight Steel

Color swatches: blue, grey, black.

Glacier

Color swatches: teal, brown.

Beachy

Color swatches: teal, brown, white, black.

Shine

Color swatches: blue, orange, white, green.

Limelight

Color swatches: blue, green, white, green.

Tide Pool

Color swatches: blue, teal, brown, brown.

Spring

Color swatches: green, yellow, brown, brown.

Basecamp

Color swatches: orange, yellow, brown.

Serene Sky

Color swatches: blue, grey, white, blue.

Abundance

Color swatches: blue, green, orange, grey.

Earthy Elegance

Color swatches: brown, tan, white.

Shine

Color swatches: blue, orange, white, green.

Power

Color swatches: orange, purple, teal, green.

North

Color swatches: blue, teal, blue, teal.

Prospective

Color swatches: dark green, green, blue, green.

Desert Mesa

Color swatches: blue, orange, black.

Aurora Cliffs

Color swatches: orange, purple, teal.

Retro

Color swatches: grey, orange, black, grey.

NatureBrite

Color swatches: green, orange, blue, green.

Citrus Grove

Color swatches: green, orange.

Limited Warranty

Wisdom and World Klass Play warrants its products against structural failure due to defects in materials and workmanship for the warranty periods and material categories prescribed below

LIFETIME* Limited Warranty

Lifetime Limited Warranty on all aluminum posts, stainless steel fasteners, clamps, beams, and caps made of aluminum or steel against structural failure due to corrosion/natural deterioration or manufacturing defects, and on steel posts against structural failure due to material or manufacturing defects

15-Year Limited Warranty

On all steel arches, all plastic components, all aluminum and steel components not covered above, climbers, outdoor musical instruments, decks, and coatings (except Chain Ladders and Swing Chain) against structural failure due to material or manufacturing defects.

15-year Limited Warranty on Wood Parts

- Robinia wood parts
- Erythrophleum wood parts
- High-pressure laminate (HPL) parts
- Aluminum parts

10-Year Limited Warranty

On concrete products against structural failure due to natural deterioration or manufacturing defects. Does not cover minor chips, hairline cracks, or efflorescence.

- PVC coating for decks and stairs
- Pre-galvanized posts with painted top layer
- Painted surface on galvanized or aluminum metal parts
- Galvanized Steel Coating

10-year Limited Warranty on Wood Parts

- Wood-plastic composite (WPC) parts
- Larch, pine and other wood types

8-year Limited Warranty

On climbers and climbing cables against defects in materials or manufacturing defects.

- Rope and net constructions

2-Year limited Warranty

On all moving plastic or metal parts, rubber membranes, sunshade or sail solutions not falling into the category above.

5-year Limited Warranty

The following components are covered only against defects in materials or manufacturing

- Springs and ball bearing assemblies
- Graphic printing on transparent polycarbonate (PC) panels
- Concrete components
- Cable connections, cables, and mallets
- Polycarbonate panels.

Shade products are covered by a five (5)-year warranty against manufacturer defects or malfunctions arising during the applicable warranty period, including shade structure moving parts, cables, and materials, except where otherwise specifically excluded or listed separately in this warranty.

3-year Limited Warranty

On all other moving parts, including all swing seats and hangers, Mobius climber handholds, Chain Ladders, Swing Chain, trolleys and bumpers, Coil Spring (including gliders), belting material, resistance mechanisms, seesaws, etc., against failure due to corrosion/ natural deterioration or manufacturing defects

2-year Limited Warranty

On all moving plastic or metal parts, rubber membranes, sunshades, or sail solutions not falling into another category above.

Limitations:

This warranty applies to Wisdom and World Klass Play products for the applicable warranty periods specified for each product type and subject to the limitations set forth herein. All warranty periods begin on the date of Wisdom or World Klass Play's invoice and apply from the date of purchase by the original customer. This warranty covers defects in materials only. Wisdom and World Klass Play's sole liability under this warranty is limited, at its discretion, to the repair or replacement of defective products at no charge. Defective components will be delivered and replaced by a Wisdom or World Klass Play-authorized professional installer free of charge. Repaired or replacement parts are warranted only for the remainder of the original warranty period. This warranty extends solely to the original Buyer/end user for products purchased from Wisdom and World Klass Play or an authorized reseller and is non-transferable. This warranty applies only to products that are installed and maintained in strict accordance with Wisdom and World Klass Play's installation instructions and maintenance procedures. Wisdom and World Klass Play does not warrant that any specific color will remain available for any period of time and reserves the right to discontinue colors at its sole discretion.

This warranty does not cover the following:

- Cosmetic damage or flaws resulting from normal use, including but not limited to surface scratches, minor chips, hairline cracks, dents, marring, efflorescence, color fading, discoloration, corrosion or rust, fraying, or warping of recycled plastic lumber
- Products that have been modified, altered, or repaired by unauthorized parties
- Products not used as designed or intended, or products that have been misused
- Products with non–Wisdom or World Klass Play parts added or substituted
- Products removed from their original installation location and reinstalled elsewhere
- Damage resulting from excessive wear, vandalism, abuse, negligence, environmental conditions, extreme weather, or acts of God

Proper Installation & Maintenance:

The warranty only applies if Wisdom or World Klass Play products have been installed according to the instructions provided by Wisdom or World Klass Play and maintained correctly according to the associated Maintenance Manual. All warranty claims shall be accompanied by full documentation for proper installation and maintenance. The warranty for the components is dependent on those products being installed by a Wisdom or World Klass Play-trained and approved installer.

Warranty Exclusions and General Terms

This warranty does not cover damage resulting from accident, improper care, negligence, misuse, abuse, or vandalism, nor does it cover normal wear and tear, surface corrosion on metal components, discoloration, cosmetic defects, or other aesthetic issues. Natural changes in wood that occur over time are considered cosmetic in nature and are not covered by this warranty.

This warranty applies only if all play structures and/or equipment are installed in strict accordance with Wisdom and World Klass Play installation instructions and are properly maintained in compliance with the maintenance procedures provided by Wisdom and World Klass Play

Near Water Installations

Products installed in direct contact with chlorinated water or saltwater (including, but not limited to, waterparks), or products installed within 200 meters of a saltwater shoreline, are not covered by the Wisdom or World Klass Play warranty for defects caused by corrosion. Specially designed customized products that have been upgraded to corrosion class C4 based on ISO 12944 standard prior to delivery and are installed within 200 meters of the shoreline-provided they are not in direct contact with saltwater, exposed to salt spray, or installed in chlorinated water environments-shall be covered only for structural failure caused by corrosion (excluding moving parts), subject to the applicable warranty period for each product type, and in no event for longer than ten (10) years.

Due to the highly corrosive nature of coastal environments, a degree of corrosion and deterioration is considered normal wear. Products installed between 200 meters and 457 meters (500 yards) from a saltwater shoreline will be covered for defects caused by corrosion for only fifty percent (50%) of the standard warranty period, up to a maximum of five (5) years. Products installed in direct contact with saltwater or exposed to salt spray are not covered for corrosion-related defects under any circumstances.

Third-party Supplied Products & Services

Wisdom and World Klass Play provide non-Wisdom and World Klass Play branded products and installation services performed by certified third-party suppliers. This general Wisdom and World Klass Play warranty does not apply to such non-Wisdom and World Klass Play branded products and installation services, which may carry their own warranties. Wisdom and World Klass Play will pass on information on such warranties where possible.

Freight & Warehousing

Global transport and logistics arranged by Wisdom and World Klass Play appointed forwarder. Products/items are not to be stored outside waiting for installation and must be kept dry at all times.

- LIFETIME warranty is in effect for the lifetime of the product until the product is uninstalled and/or taken out of use. In addition, Wisdom and World Klass Play general terms and delivery conditions apply and supplement this warranty.

THE FOREGOING LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY FOR SELLER’S PRODUCTS, AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED.



Industry certification processes issued by the International. Organization for Standardization. ISO 9001 is used to measure,manufacturing standards and to certify company compliance with quality management systems covering design, development, production, installation, inspection and testing. ISO 14001 also known as the green certification, specifies the requirements of an environmental management system (EMS). An EMS is a systemic approach to handling environmental issues within an organization. World Klass Play is ISO 9001 and ISO 14001 certified

ASTM

ASTM International is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM’s F15.29 committee met regularly for over a decade in the continual development of the F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The original standard, F1487-93 was published in 1993 and subsequently replaced by the current version F1487-17. Published February 2017. Throughout this catalog we state ASTM Use Zones in dimensional form per the ASTM F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use, which are minimum dimensions. Consideration should be given to the number of users and their circulation patterns.

ASTM INTERNATIONAL
100 Barr Harbor Drive, PO Box C700
West Conshohocken, PA 19428-2959
Website: www.astm.org
E-mail address: service@astm.org

CPSC

The Consumer Product Safety Commission is an independent agency within the United States Federal Government with the authority to inform the public of current product safety performance information and recommended practices. The CPSC first published their guidelines for public playgrounds in 1981 and have updated their publication several times since then. The current CPSC Handbook for Public Playground Safety, publication #325, is an excellent guide for owners and operators of public play environments.

U.S. Consumer Product Safety Commission
Washington, DC 20207
Website: www.cpsc.org
E-mail address: info@cpsc.gov

CSA

The Canadian Standards Association is an independent and renowned developer of technical standards utilized in evaluating a multitude of products. The CSA standard on Children’s Playspaces and Equipment 1990 edition was revised in March, 2020 and is now officially CAN/CSA-Z614:20, entitled Children’s Playground Equipment and Surfacing. The CSA standard is significantly harmonized with the ASTM F1487-11 standard.

Canadian Standards Association
5060 Spectrum Way Suite 100
Mississauga, Ontario L4W 5N6
Website: www.csa.ca

ADA

Access Board (The United States Architectural and Transportation Barriers Compliance Board) has completed Accessibility Guidelines for Play Facilities as set forth in the Americans with Disabilities Act of 1990. The final rules, fact sheets and analysis are all available at the Department of Justice.

Access Board
1331 F street, NW
Washington, DC 20004-1111
Website: www.access-board.gov
E-mail address: greenwell@access-board.gov



Product Service, an international testing and certification organization is a European Union Notified and Competent Body providing services which include product testing and certification. The highly visible TÜV-Mark demonstrates to customers that safety testing and certification has been completed by an independent third-party organization. The “S” pictogram combined with the statements “Safety tested”, “EN 1176” and “Production monitored” indicate that these products have passed a comprehensive testing procedure based upon the European Harmonized Standard for Commercial Playground Equipment, EN 1176 and that the World Klass Play production plant is regularly monitored by TÜV. Contact your international World Klass Play distributor for complete EN 1176 compliance details.

TÜV SÜD America Inc.
10 Centennial Drive
01960 Peabody, MA
Website: www.tuvsud.com/en-us
E-mail: info-us@tuvsud.com



In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA) provides a Third Party Certification program whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer’s certification of compliance to the ASTM F1487 Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except sections 7.1.1, 10, 13.1.1, 13.1.2, 13.2, and 13.3; to CAN/CSA Z614 Children’s Playground Equipment and Surfacing, except clauses 10 and 11; or both. A list of current validated products may be viewed at www.ipema.org